

INDEX.

Abdominal tuberculosis. *See* Tuberculosis.

Abscess, death rates, CLXXXVI. *See also* Skin diseases.

Accidents (specified), death rates, CXC, CCIII; deaths from, by age, CCI, 91, 249, 407, 565, 723; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720. *See also* Violence.

Actinomycosis, trichinosis, etc., death rates, LXVIII, CLXVIII; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708.

Actuarial Society of America, invited to examine census mortality data, XVI.

Addison's disease, death rates, LXVIII, CLXXII; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708.

Age, mortality statistics according to, by specified diseases, CC, CII, 90, 248, 406, 564, 722; by registration areas, 22, 58, 180, 216, 338, 374, 496, 532, 654, 690; by specified cities, 112, 270, 428, 586, 744.

Alcoholism, deaths from, by registration areas, LXI, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XLII, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXVIII, CLVIII; by cities and rural districts, CLXXII; by age, CCI.

Alexandria, Va., death rates, by race, XX. *See also* Registration cities.

Allegheny, Pa., deaths in, from certain causes, by age, 112, 270, 428, 586, 744.

American Medical Association, resolution urging states and cities to register vital statistics, XI.

American Public Health Association, resolution commending registration movement, X.

Amputation, deaths from, by registration areas, LXX; by cities and rural districts, 80, 238, 396, 554, 712; death rates, LXX, CLXXXVI.

Anemia, chlorosis, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVII, CLXXII.

Anemia, leukemia, deaths from, by registration areas, CLVIII; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, CLVIII, CCI.

Angina pectoris, deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by age, CCI.

Annapolis, Md., death rates, by race, XX. *See also* Registration cities.

Apoplexy, death rates, increasing, XXI; by registration areas, LXVIII, CLVIII; by cities and rural districts, CLXXIV; by age, CCI; deaths from, by registration areas, LXVIII, CLVIII; by cities and rural districts, 76, 234, 392, 550,

708; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744. *See also* Apoplexy and paralysis.

Apoplexy and paralysis, deaths from, by registration areas, XLIV; by sex and age, XLV; by months, XLV, CXCv; by months and age, 154, 312, 470, 628, 786; death rates, average annual, XLIV; by months, XLV, CXCviii.

Appendicitis, death rates, increasing, XXI; average annual, LIII; by registration areas, LXIX, CLXII; by cities and rural districts, CLXXXII; by age, CCI; deaths from, by registration areas, LIII, LXIX, CLXII; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, LIII, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.

Arteries, diseases of, deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 242, 400, 558, 716; death rates, by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by age, CCI.

Asiatic cholera, death rates, LXVIII, CLXVI; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708.

Asphyxia. *See* Suicide.

Asthma, death rates, LXIX, CLX, CLXXVIII; deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710.

Asthma and emphysema, deaths from, according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 242, 400, 558, 716; death rates, CCI.

Atlanta, Ga., death rates, by race, XX. *See also* Registration cities.

Atrophy of liver. *See* Liver, diseases of.

Baltimore, Md., death rates, by race, XX; deaths in, from certain causes, by age, 113, 271, 429, 587, 745. *See also* Registration cities.

Belgium, death rates, all causes, XVIII; typhoid fever, XXI; smallpox, XXV; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; tuberculosis of lungs, XXXV.

Biliary calculi, deaths from, by registration areas, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex, 86, 244, 402, 560, 718; death rates, CLXI, CLXXX, CCI.

Black population, in registration areas, deaths among, at each age, by sex, 58, 216, 374, 532, 690.

Bladder, diseases of, deaths from, by registration areas, LXIX, CLXII; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718; death rates, LXIX, CLXII, CLXXXII, CCI.

Boards of Health Conference, resolution pledging support in the registration movement, X. Bones, diseases of, deaths from, by registration areas, LXX, CLXIII; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 86, 244, 402, 560, 718; death rates, LXX, CLXIII, CLXXXVI, CCI.

Boston, Mass., deaths in, from certain causes, by age, 114, 272, 430, 588, 746. *See also* Registration cities.

Brain, diseases of, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 242, 400, 558, 716; death rates, LXVIII, CCI.

Breast, nonpuerperal diseases of, death rates, CLXXXIV; deaths from, 78, 236, 394, 552, 710. *See also* Genito-urinary system, diseases of.

Breast, puerperal diseases of, death rates, CLXXXIV; deaths from, 78, 236, 394, 552, 710. *See also* Puerperal diseases.

Bright's disease, death rates, increasing, XXI; by cities and rural districts, CLXXXII; by registration areas, CCI; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; distributed by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718.

Bright's disease and nephritis, death rates, increasing, XXI; average annual, LIV; states and cities showing highest, LV; by registration areas, LXIX, LXXIII, CLXII; by states, LXXIII; by specified cities, LXXV; by months, LV, CXCIX; by age, CCI; deaths from, by registration areas, LIV, CLXII, 41, 199, 357, 515, 673; by sex and age, LV; by months, LV, CXCIX; by age, CCI; by month and age, 155, 313, 471, 629, 787. *See also* Bright's disease and Nephritis.

Bronchitis, death rates, decreasing, XXI; by registration areas, LXIX, CLX; by cities and rural districts, CLXXVIII; by months, CXCviii; by age, CCI; deaths from, by registration areas, LXIX, XLVII, CLX; by months, CXCv; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; distributed by sex and age, XLVII, 84, 242, 400, 558, 716; by cities and rural districts, 78, 236, 394, 552, 710; by months and age, 155, 313, 471, 629, 787.

Bronchopneumonia, death rates, by cities and rural districts, CLXXVIII; by months, CXCviii; by age, CCI; deaths from, by months, CXCv; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787. *See also* Pneumonia.

Bronx borough, N. Y., deaths in, from certain causes, by age, 134, 292, 450, 608, 766. *See also* Registration cities.

Brooklyn borough, N. Y., deaths in, from certain causes, by age, 135, 293, 451, 609, 767. *See also* Registration cities.

- Buffalo, N. Y., deaths in, from certain causes, by age, 115, 273, 431, 589, 747. *See also* Registration cities.
- Burns and scalds, death rates, CLXXXVIII, CCIII; deaths from, by age, CCI, 91, 249, 407, 565, 723; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720. *See also* Violence.
- Calculi of urinary tract, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXIX; by cities and rural districts, CLXXXII; by age, CCIII.
- Cancer (all forms), deaths from, classification, XXXVII; each specified organ, XXXVIII; by registration areas, XXXVIII, LXVIII, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XXXIX, 82, 240, 398, 556, 714; by months, XXXIX, CXC; according to age, by registration areas, CCI; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786; death rates, average annual, XXXVIII; in United States compared with certain European countries, XXXVIII; by registration areas, LXVIII, LXXII; by states, LXXII; by specified cities, LXXIV; by cities and rural districts, CLXX; by months, XXXIX, CXXVIII; by age, CCI.
- Carbuncle, deaths from, by registration areas, LXX; by cities and rural districts, 80, 236, 396, 554, 712; by sex and age, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; death rates, by registration areas, LXX; by cities and rural districts, CLXXXVI; by age, CCIII.
- Causes of death, classification of, XX; death rates, increase or decrease in, by classes, XX; from principal diseases, per 100,000 of population, XXI, LXXII; deaths from specified diseases, by registration areas, LXVIII, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by month and age, 154, 312, 470, 628, 786; by sex and age, 82, 240, 398, 556, 714; in registration states, by age, 90, 248, 406, 564, 722; in cities of 100,000 and upward, by age, 112, 270, 428, 586, 744.
- Cerebro-spinal meningitis, deaths from, by registration areas, XLII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, by cities and rural districts, CLXXIV. *See also* Meningitis.
- Certificate of death, standard form, facsimile, XV; treatment of returns not uniform, XVI.
- Charleston, S. C., death rates, by race, XX. *See also* Registration cities.
- Chicago, Ill., deaths in, from certain causes, by age, 116, 274, 432, 590, 748. *See also* Registration cities.
- Childbirth, deaths from diseases incident to, by registration areas, LXX, CLXIII, 41, 199, 357, 515, 673; by cities and rural districts, 78, 236, 394, 552, 710; by months, CXXVI; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787; death rates, by registration areas, LXX, CLXXIII; by cities and rural districts, CLXXXIV; by months, CXXIX; by age, CCIII.
- Chinese and Japanese, deaths among, at each age, by sex, 58, 216, 374, 532, 690.
- Cholera nostras, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CCI; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXX; by cities and rural districts, CLXVI; by age, CCII.
- Chorea, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXXIV.
- Chronic poisonings, deaths from, CLVIII. *See also* Poisonings.
- Cincinnati, Ohio, deaths in, from certain causes, by age, 117, 275, 433, 591, 749. *See also* Registration cities.
- Circulars, object of, to promote uniformity in registration methods, XIII; (No. 100) outline of registration law, XI; (No. 101) for guidance of local registrars, XII; (No. 102) international classification of diseases, for physicians, XII; (No. 103) to interest medical schools in registration methods, XIII.
- Circulatory system, diseases of, deaths from, by registration areas, XLV, LXIX, 41, 199, 357, 515, 673; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, XLV, 84, 242, 400, 558, 716; by months, CXXV; according to age, by registration areas, CCI; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787; death rates, average annual, XLV; by registration areas, LXIX, LXXIII; by specified cities, LXXV; by cities and rural districts, CLXXVI; by months, CXXVIII; by age, CCII.
- Cirrhosis of liver, death rates, increasing, XXI; average annual, LII; by registration areas, LXIX; by age, CCIII; deaths from, by registration areas, LII, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, LII, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
- Cities. *See* Registration cities.
- Cleveland, Ohio, deaths in, from certain causes, by age, 118, 276, 434, 592, 750. *See also* Registration cities.
- Cold and freezing, death rates, CXC; deaths from, by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720; according to age, by states, 91, 249, 407, 565, 723. *See also* Violence.
- Color, deaths classified by, 4, 58, 162, 216, 320, 374, 478, 532, 636, 690.
- Columbus, Ohio, deaths in, from certain causes, by age, 119, 277, 435, 593, 751. *See also* Registration cities.
- Conflagration, death rates, CXC. *See also* Violence.
- Congenital debility, death rates, fluctuating, XXI; by cities and rural districts, CLXXXVI; by age, CCIII; deaths from, by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744. *See also* Infancy.
- Congenital malformations, deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720; death rates, LXX, CLXIII.
- Congestion of lungs, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CCI; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, LXIX, CCII.
- Congress, resolution commending registration movement, XI.
- Connecticut, death rates for cities and rural districts, XIX; deaths, by age, 22, 90, 180, 248, 338, 406, 496, 564, 654, 722; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 64, 222, 380, 538, 696. *See also* Registration states.
- Connecticut rural, death rates in, by diseases, CXIV; deaths, by age, color, nativity, and month, 12, 170, 328, 486, 644, 30, 188, 346, 504, 662; by diseases, 48, 206, 364, 522, 680. *See also* Rural districts.
- Convulsions, death rates, decreasing, XXI; by registration areas, LXVIII; by cities and rural districts, CLXXIV; by age, CCI; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CCI; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
- Counties. *See* each specified state, rural.
- Croup, death rates, by cities and rural districts, CLXVI; deaths from, by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by states, 90, 248, 406, 564, 722. *See also* Diphtheria and croup.
- Cutting instruments, deaths from wounds. *See* Suicide.
- Cyanosis (congenital malformation of heart), death rates, by cities and rural districts, CLXXXVI; by age, CCIII; deaths from, by sex and age, 88, 246, 404, 562, 720; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723. *See also* Malformations.
- Death rates, all causes, in registration areas, XVIII, XIX, CLVI; in certain European countries, XVIII; principal diseases, XX, LXXII; annual average and yearly rates, by cities, LXV; by specified diseases, LXVIII; in cities and rural districts, CLXVI; by months, CXXVII; by age, CCII. *See also* each specified disease.
- Deaths, returns for nonresidents, XVI; in registration areas, XVIII, LXVIII; from specified diseases, CLVI; by months, CXXIX; by age, CCI. *See also* each specified disease.
- Debility. *See* Ill-defined causes.
- Dentition, death rates, by registration areas, LXIX, CLXI; by cities and rural districts, CLXXX; by age, CCIII; deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex, 86, 242, 402, 560, 718.
- Denver, Colo., deaths in, from certain causes, by age, 120, 278, 436, 594, 752. *See also* Registration cities.
- Detroit, Mich., deaths in, from certain causes, by age, 121, 279, 437, 595, 753. *See also* Registration cities.
- Diabetes, death rates, increasing, XXI; annual average, XLII; by registration areas, XLI, LXVIII, LXXII; by states, XLI, LXXII; by cities, XLI, LXXV; by cities and rural districts, CLXXII; by age, CCI; deaths from, by sex and age, XLI, 82, 240, 398, 556, 714; by registration areas, LXVIII, 41, 199, 357, 515, 673; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CCI; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
- Diarrhea and enteritis, death rates, fluctuating, XXI; average annual, L; by registration areas, LXIX, LXXII; by states, L, LXXII; by cities, L, LXXV; by cities and rural districts, CLXXX; by months, CXXIX; by age, CCIII; deaths from, by registration areas, L, LXIX, 41, 199, 357, 515, 673; by sex and age, LI, 86, 242, 402, 560, 718; by months, LII, CXXVI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787.
- Digestive system, diseases of, deaths from, by registration areas, XLIX, LXIX, CLXI, 41, 199, 357, 515, 673; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, XLIX, 86, 242, 402, 560, 718; by months, L, CXXVI; according to age, by registration areas, CCI;

- by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by months and age, 155, 313, 471, 629, 787; death rates, by month, L, CXCIX; by registration areas, LXIX, LXXII, CLXI; by states, LXXII; by cities, LXXIV; by cities and rural districts, CLXXVIII; by age, CCIII.
- Diphtheria, death rates, CLXVI, CCII; deaths from, by age, CC; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; by states, 90, 248, 406, 564, 722. *See also* Diphtheria and croup.
- Diphtheria and croup, death rates, fluctuating, XXI; average annual, XXX; by registration areas, XXX, LXVIII, LXXII, CLVI; by cities, XXX, LXXIV; by states, LXXII; for certain European countries, XXX; cities showing highest, XXXI; by months, XXXII, CXCIV; deaths from, by registration areas, XXX, LXVIII, CLVI, 40, 198, 356, 514, 672; by months, XXXII, CXCIV; by sex and age, XXXII; by age, in specified cities, 112, 270, 428, 586, 744; by month and age, 154, 312, 470, 628, 786.
- Dislocations. *See* Fractures and dislocations.
- District of Columbia, deaths in, by age, 22, 92, 180, 250, 338, 408, 496, 566, 654, 724; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 64, 222, 380, 538, 696.
- "Dropsy." *See* Ill-defined causes.
- Drowning, death rates, CXC, CCIII; deaths from, by registration areas, CCI; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720; by age and states, 91, 249, 407, 565, 723. *See also* Suicide.
- Dysentery, death rates, average annual, XXXIII; by registration areas, XXXIII, LXVIII, CLVI; by cities and rural districts, CLXXVIII; by age, CCII; deaths from, by registration areas, XXXIII, LXVIII, CLVI; by cities and rural districts, 76, 234, 392, 550, 708; by age and sex, XXXIV, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
- Ear, diseases of, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXXVI.
- Embolism and thrombosis, death rates, by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by age, CCII; deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by sex and age, 84, 242, 400, 558, 716.
- Emphysema, deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, by registration areas, LXIX, CLX; by cities and rural districts, CLXXVIII.
- Encephalitis, deaths from, by registration areas, LXVIII, CLVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 240, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
- Endocarditis, death rates, fluctuating, XXI; by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by age, CCII; deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
- England and Wales, death rates, all causes, XVIII; typhoid fever, XXI; smallpox, XXV; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII.
- Enteritis. *See* Diarrhea and enteritis.
- Epidemic diseases, deaths from, by registration areas, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by months, CXCIV; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786; death rates, by registration areas, LXVIII, CLVI; by cities and rural districts, CLXXVIII; by months, CXCIV; by age, CCII.
- Epilepsy, deaths from, by registration areas, LXVIII, CLIX; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by sex, 84, 242, 400, 558, 716; death rates, by registration areas, LXVIII, CLIX; by cities and rural districts, CLXXIV; by age, CCII.
- Erysipelas, deaths from, by registration areas, LXVIII, CLVI; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by sex, 82, 240, 398, 556, 714; death rates, by registration areas, LXVIII, CLVI; by cities and rural districts, CLXXVIII; by age, CCI.
- Esophagus, diseases of, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, LXIX, CLXXX.
- Exanthematic typhus, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVI.
- Exophthalmic goiter, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXXII.
- Eye and its adnexa, diseases of, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXXVI.
- Fall River, Mass., deaths in, from certain causes, by age, 122, 280, 438, 596, 754. *See also* Registration cities.
- Farcy. *See* Glanders and farcy.
- Fever. *See* Ill-defined causes.
- Firearms and instruments, deaths from. *See* Suicide.
- Fractures and dislocations, death rates, CLXXXVIII, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by sex and age, 88, 246, 404, 562, 720; by cities and rural districts, 80, 238, 396, 554, 712.
- Frederick, Md., death rates, by race, XX. *See also* Registration cities.
- Freezing. *See* Cold and freezing.
- Gangrene, deaths from, by registration areas, LXX; by cities and rural districts, 80, 236, 396, 554, 712; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by sex and age, 86, 244, 402, 560, 718; death rates, CLXXXIV, CCIII.
- Gangrene of lungs, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; distributed by sex and age, 84, 242, 400, 558, 716; death rates, CCI.
- Gastritis, death rates, XXI, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by
- cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 242, 402, 560, 718.
- General diseases (classified list) deaths from, by registration areas, LXVIII, CLVI; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; death rates, CLXVI, CCII.
- Genito-urinary system, diseases of, death rates, by registration areas, LXII, LXIX; average annual, LIII; by cities and rural districts, CLXXXII; by age, CCII; deaths from, by registration areas, LXII, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, LXII, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
- Germany, death rates, all causes, XVIII; typhoid fever, XXI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; tuberculosis of lungs, XXXV; cancer, XXXVIII.
- Glanders and farcy, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, CLXXVIII.
- Gonorrhea, death rates, CLXX; deaths from, by cities and rural districts, 76, 234, 392, 550, 708. *See also* Venereal diseases.
- Gunshot wounds, deaths from. *See* Violence.
- Hanging. *See* Suicide.
- Heart disease, death rates, increasing, XXI; average annual, XLVI; by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by months, CXCIV; by age, CCII; deaths from, by registration areas, XLVI, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; by months, CXCIV; according to age, by sex, XLVI, 84, 242, 400, 558, 716; by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787.
- Heart failure. *See* Ill-defined causes.
- Heat and sunstroke, death rates, CLXXXVIII, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720.
- Hemorrhages. *See* Circulatory system.
- Hernia, deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by sex, 86, 242, 402, 560, 718; death rates, by registration areas, LXIX, CLXI; by cities and rural districts, CLXXX; by age, CCIII.
- Homicide, death rates, CXCII, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 246, 404, 562, 720.
- Hungary, death rates, all causes, XVIII; typhoid fever, XXI; smallpox, XXV; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; cancer, XXXVIII.
- Hydatid tumors of liver, deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718; death rates, CCI.
- Hydrocephalus, deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 238, 396, 554, 712; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; distributed by sex and

age, 88, 244, 404, 562, 720; death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXVI; by age, CCIII.

Ill-defined causes, deaths from, by registration areas, LXX, 41, 199, 357, 515, 673; by cities and rural districts, 80, 238, 396, 554, 712; according to age, by registration areas, CC; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by sex, 88, 246, 404, 562, 720; death rates, by registration areas, LXX; by states, LXXIII; by cities, LXXV; by cities and rural districts, CCIII; by age, CCIII.

Immigration, increase of population by, XVIII. Inanition, deaths from, 80, 238, 396, 554, 712. Indian population, in registration areas, deaths at each age, by sex, 58, 216, 374, 532, 690.

Indiana, death rates, by cities and rural districts, XIX; deaths, by age, 22, 94, 180, 252, 338, 410, 496, 568, 654, 726; from specified diseases, 40, 76, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 66, 224, 382, 540, 698. *See also* Registration states.

Indiana rural, death rates in, by diseases, CXVI; deaths, by color, nativity, and months, 12, 170, 328, 486, 644; by age, 30, 188, 346, 504, 662; by diseases, 48, 206, 364, 522, 680. *See also* Rural districts.

Indianapolis, Ind., deaths in, from certain causes, by age, 123, 281, 439, 597, 755. *See also* Registration cities.

Infancy, diseases of early, deaths from, by registration areas, LXX, LXXIII, 41, 199, 357, 515, 673; by states, LXXIII; by cities, LXXV; death rates, CLXXXVI.

Influenza, death rates, fluctuating, XXI; average annual, XXXII; by registration areas, XXXII, LXXII; by cities, XXXII, LXXIV; by states, XXXII, LXXII; by cities and rural districts, CLXVI; in United States compared with European countries, XXXII; by months, XXXIII, CXCIV, CXCVII; by age, CCII; deaths from, by registration areas, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XXXIII, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.

Injuries. *See* Violence.

Intestinal parasites, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, CLXXX.

Intestines, diseases of, deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 91, 249, 407, 565, 723; by age and sex, 86, 244, 402, 560, 718; death rates, CLXXX, CCII.

Ireland, death rates, all causes, XVIII; typhoid fever, XXI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; tuberculosis of lungs, XXXV; cancer, XXXVIII.

Italy, death rates, all causes, XVIII; smallpox, XXVI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII.

Jacksonville, Fla., death rates, by race, XX. *See also* Registration cities.

Japanese. *See* Chinese and Japanese.

Jersey City, N. J., deaths in, from certain causes, by age, 124, 282, 440, 598, 756. *See also* Registration cities.

Joints, diseases of, deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 238, 396, 554, 712; according to age, by registration areas, CC; by states, 91, 249, 407, 565, 723; by sex, 86, 244, 402, 560, 718; death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXVI; by age, CCIII.

Jumping from high places, deaths from. *See* Suicide.

Kansas City, Mo., deaths in, from certain causes, by age, 125, 283, 441, 599, 757. *See also* Registration cities.

Key West, Fla., death rates, by race, XX. *See also* Registration cities.

Kidneys, diseases of, deaths from, by registration areas, LXIX, CLXII; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 91, 249, 407, 565, 723; by sex, 86, 244, 402, 560, 718; death rates, LXIX, CLXII, CCIII.

Lack of care, deaths from. *See* Infancy.

Laryngitis, death rates, CLXXXVI, CCII; deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by sex, 84, 242, 400, 558, 716.

Larynx, diseases of, deaths from, by registration areas, LXIX, CLX; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; death rates, LXIX, CLX, CCII.

Lead poisoning, death rates, CLXXII; deaths from, by cities and rural districts, 76, 234, 392, 550, 708.

Leprosy, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVIII.

Leukemia, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXXII. *See also* Anemia, leukemia.

Lightning, death rates, CXC, CCII; deaths from, according to age, by registration areas, CC; by states, 91, 249, 407, 565, 723; by sex, 88, 246, 404, 562, 720; distribution of deaths, by cities and rural districts, 80, 238, 396, 554, 712.

Liver, diseases of, deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by sex, 86, 244, 402, 560, 718; death rates, by registration areas, LXIX; by cities and rural districts, CLXXX; by age, CCII.

Locomotor ataxia, deaths from, by registration areas, LXVIII, CLVIII; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 240, 400, 558, 716; death rates, by registration areas, LXVIII, CLVIII; by cities and rural districts, CLXXIV; by age, CCII.

Locomotor system, diseases of, deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 238, 396, 554, 712; according to age, by registration areas, CC; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by sex, 86, 244, 402, 560, 718; death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXVI; by age, CCII.

Los Angeles, Cal., deaths in, from certain causes, by age, 126, 284, 442, 600, 758. *See also* Registration cities.

Louisville, Ky., deaths in, from certain causes, by age, 127, 285, 443, 601, 759. *See also* Registration cities.

Lungs, diseases of, deaths from, by registration areas, LXIX; by age and sex, 82, 242, 400, 558, 716; death rates, LXIX, CLXXVIII. *See also* Respiratory system, and Tuberculosis of lungs.

Lymphatics, diseases of, deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 242, 400, 558, 716; death rates, by registration areas, LXIX,

CLX; by cities and rural districts, CLXXVI; by age, CCII.

Lynchburg, Va., death rates, by race, XX. *See also* Registration cities.

Maine, death rates for cities and rural districts, XIX; deaths, by age, 22, 96, 180, 254, 338, 412, 496, 570, 654, 728; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 66, 224, 382, 540, 698. *See also* Registration states.

Maine rural, death rates, by diseases, CXXXVIII; deaths, by color, nativity, and month, 14, 172, 330, 488, 646; by age, 32, 190, 348, 506, 664; by diseases, 50, 208, 366, 524, 682. *See also* Rural districts.

Malarial fever, deaths from, by registration areas, XXIII, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XXIV, 82, 240, 398, 556, 714; by months, XXIV, CXCIV; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786; death rates, average annual, XXIII; by registration areas, XXIII, LXVIII, LXXII, CLVI; by cities, XXIII, LXXIV; minor cities showing highest death rates, XXIV; by months, XXIV, CXCIV; by age, CCII.

Malformations, deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, 88, 244, 404, 562, 720; according to age, by registration areas, CC; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXVI; by age, CCII.

Malignant pustule and charbon, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVIII.

Manhattan borough, N. Y., deaths in, from certain causes, by age, 136, 294, 452, 610, 768. *See also* Registration cities.

Manual of International Classification of Causes of Death, x.

Marasmus. *See* Ill-defined causes.

Massachusetts, death rates for cities and rural districts, XIX; deaths, by age, 22, 98, 180, 256, 338, 414, 496, 572, 654, 730; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 68, 226, 384, 542, 700. *See also* Registration states.

Massachusetts rural, death rates, by diseases, CXXX; deaths, by color, nativity, and month, 16, 174, 332, 490, 648; by age, 32, 190, 348, 506, 664; by diseases, 52, 210, 368, 526, 684. *See also* Rural districts.

Measles, death rates, fluctuating, XXI; states showing highest, XXVI; average annual, XXVI; in certain European countries, XXVI; by registration areas, XXVI, LXVIII, LXXII, CLVI; by cities, XXVI, LXXIV; by states, LXXII; by cities and rural districts, CLXVI; by months, XXVII, CXCIV; by age, CCII; deaths from, by registration areas, XXVI, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by months, XXVII, CXCIV; by sex and age, XXVII, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.

Medical Education in Vital Statistics, a circular for medical schools, XIII.

Memphis, Tenn., deaths in, from certain causes, by age, 128, 286, 444, 602, 760. *See also* Registration cities.

Meningitis, death rates, fluctuating, XXI; by registration areas, XLIII, LXVIII, LXXII, CLVIII; by states, XLIII, LXXII; by cities, XLIII, LXXV; by cities and rural districts, CLXXIV; by months, XLIV, CXCIV; by age, CCII; deaths from, by registration areas,

- XLII, LXVIII, CLVIII, 41, 199, 357, 515, 673; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XLIII, 84, 240, 400, 558, 716; by months, XLIV, CXCIV; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786. *See also* *Methods of Estimating Population*, XVII.
- Metritis, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, LXIX, CLXXXII.
- Michigan, death rates for cities and rural districts, XIX; number of deaths, by age, 22, 100, 180, 258, 338, 416, 496, 574, 654, 732; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 68, 226, 384, 542, 700. *See also* *Registration states*.
- Michigan rural, death rates, by diseases, CXXXII; deaths, by color, nativity, and month, 16, 174, 332, 490, 648; by age, 32, 190, 348, 506, 664; by diseases, 52, 210, 368, 526, 684. *See also* *Rural districts*.
- Miliary fever, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVI.
- Milwaukee, Wis., deaths in, from certain causes, by age, 129, 287, 445, 603, 761. *See also* *Registration cities*.
- Minneapolis, Minn., deaths in, from certain causes, by age, 130, 288, 446, 604, 762. *See also* *Registration cities*.
- Mobile, Ala., death rates, by race, XX. *See also* *Registration cities*.
- Mouth, diseases of, deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 242, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; death rates, by registration areas, LXIX, CLXI; by cities and rural districts, CLXXXVIII; by age, CCIII.
- Nasal fossa, diseases of, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, LXIX, CLXXVI.
- Nativity, general and parent, deaths in registration areas shown by, 4, 58, 162, 216, 320, 374, 478, 532, 636, 690.
- Negroes. *See* *Black population*.
- Nephritis, acute, death rates, CLXXXII, CCIII; deaths from, according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; distributed by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 244, 402, 560, 718. *See also* *Bright's disease and nephritis*.
- Nervous system, diseases of, deaths from, by registration areas, XLII, LXVIII, CLVIII, 41, 199, 357, 515, 673; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XLII, 84, 240, 400, 558, 716; by months, CXCIV; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786; death rates, by registration areas, LXVIII, LXXII, CLVIII; by states, LXXXIII; by cities, LXXV; by cities and rural districts, CLXXXII; by months, CXCIV; by age, CCII.
- Netherlands, death rates, all causes, XVIII; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII.
- New Hampshire, death rates for cities and rural districts, XIX; deaths, by age, 22, 102, 180, 260, 338, 418, 496, 576, 654, 734; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, age, color, and nativity, 70, 228, 386, 544, 702. *See also* *Registration states*.
- New Hampshire rural, death rates, by diseases, CXLII; deaths, by color, nativity, and month, 18, 176, 334, 492, 650; by age, 34, 192, 350, 508, 666; by diseases, 54, 212, 370, 528, 686. *See also* *Rural districts*.
- New Haven, Conn., deaths in, from certain causes, by age, 131, 289, 447, 605, 763. *See also* *Registration cities*.
- New Jersey, death rates for cities and rural districts, XIX; deaths, by age, 22, 104, 180, 262, 338, 420, 496, 578, 654, 736; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by age, sex, color, and nativity, 70, 228, 386, 544, 702. *See also* *Registration states*.
- New Jersey rural, death rates, by diseases, CXLII; deaths, by color, nativity, and month, 18, 176, 334, 492, 650; by age, 36, 194, 352, 510, 668; by diseases, 54, 212, 370, 528, 686. *See also* *Rural districts*.
- New Orleans, La., death rates, by race, XX; deaths in, from certain causes, by age, 132, 290, 448, 606, 764. *See also* *Registration cities*.
- New York, death rates for cities and rural districts, XIX; deaths, by age, 22, 106, 180, 264, 338, 422, 496, 580, 654, 738; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by age, sex, color, and nativity, 72, 230, 388, 546, 704. *See also* *Registration states*.
- New York, N. Y., deaths in, from certain causes, by age, 133, 291, 449, 607, 765. *See also* *Registration cities*.
- New York rural, death rates, by diseases, CXLVI; deaths, by color, nativity, and month, 18, 176, 334, 492, 650; by age, 36, 194, 352, 510, 668; by diseases, 54, 212, 370, 528, 686. *See also* *Rural districts*.
- Newark, N. J., deaths in, from certain causes, by age, 139, 297, 455, 613, 771. *See also* *Registration cities*.
- Norfolk, Va., death rates, by race, XX. *See also* *Registration cities*.
- Norway, death rates, all causes, XVIII; typhoid fever, XXI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; tuberculosis of lungs, XXXV; cancer, XXXVIII.
- Occupational poisonings, deaths from. *See* *Poisonings*.
- Occupations, mortality statistics not shown by, XVI.
- Old age, death rates, decreasing, XXI; by registration areas, LXX, CLXIV, CCII; by cities and rural districts, CLXXXVIII; deaths from, by registration areas, LXX, CLXIV; by cities and rural districts, 80, 238, 396, 554, 712; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by sex, 88, 244, 404, 562, 720.
- Omaha, Neb., deaths in, from certain causes, by age, 140, 298, 456, 614, 772. *See also* *Registration cities*.
- Ovarian tumor, death rates, by registration areas, LXIX; by cities and rural districts, CLXXXIV; by age, CCIII; deaths from, according to age, by registration areas, CCI, 86, 244, 402, 506, 718; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; distributed by cities and rural districts, 78, 236, 394, 552, 710.
- Paralysis, death rates, decreasing, XXI; by registration areas, LXVIII, CLIX; by cities and rural districts, CLXXXIV; by age, CCII; deaths from, by registration areas, LXVIII, CLIX; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by cities, 112, 270, 428, 586, 744. *See also* *Apoplexy and paralysis*.
- Paterson, N. J., deaths in, from certain causes, by age, 141, 299, 457, 615, 773. *See also* *Registration cities*.
- Pellagra, death rates, LXVIII, CLXVIII; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708.
- Pericarditis, death rates, by registration areas, LXIX, CLIX; by cities and rural districts, CLXXVI; by age, CCII; deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
- Peritonitis, death rates, decreasing, XXI; average annual, LII; by registration areas, LXIX, CLXI; by cities and rural districts, CLXXXII; by age, CCII; deaths from, by registration areas, LII, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, LIII, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
- Petersburg, Va., death rates, by race, XX. *See also* *Registration cities*.
- Pharynx, diseases of, death rates, by registration areas, LXIX, CLXI; by cities and rural districts, CLXXX; by age, CCII; deaths from, by registration areas, LXIX, CLXI; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 242, 402, 560, 718.
- Philadelphia, Pa., deaths in, from certain causes, by age, 142, 300, 458, 616, 774. *See also* *Registration cities*.
- Pittsburg, Pa., deaths in, from certain causes, by age, 143, 301, 459, 617, 775. *See also* *Registration cities*.
- Plague, death rates, LXVIII, CLXVIII; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708.
- Pleurisy, death rates, by registration areas, LXIX, CLX; by cities and rural districts, CLXXXVIII; by age, CCI; deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
- Pneumonia, death rates, fluctuating, XXI; average annual, XLVII; states and cities showing highest, LXVIII; by registration areas, LXIX, CLX, LXXXIII; by states, XLVIII, LXXXIII; by cities, XLVIII, LXXV; by cities and rural districts, CLXXXVIII; by months, CXCIV; by age, CCI; deaths from, by registration areas, XLVIII, LXIX, CLX, 41, 199, 357, 515, 673; by months, XLIX, CXCIV; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 687.
- Poisonings, chronic, deaths from, by registration areas, CLVIII; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, CLXXXII, CCII. *See also* *Suicide*.
- Population, of registration areas, XVIII, LXI; immigration as a factor of increase, XVIII; Census methods of estimating, XVIII.
- Pott's disease, death rates, CLXX, CCI; deaths from, by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
- Practical Registration Methods*, circular for local registrars, XII.
- Pregnancy, deaths from diseases incident to, by registration areas, LXX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, CLXXXIV.

- Premature birth, death rates, CLXXXVI, CCIII; deaths from, by cities and rural districts, 80, 238, 396, 554, 712; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744. *See also* Infancy.
- Privation. *See* Starvation, privation, etc.
- Prostate, diseases of, death rates, LXIX, CLXXXII; deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710.
- Providence, R. I., deaths in, from certain causes, by age, 144, 302, 460, 618, 776. *See also* Registration cities.
- Prussia, death rates, all causes, XVIII.
- Puerperal diseases, death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXIV; by age, CCII; deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 78, 236, 394, 552, 710; by age, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
- Queens borough, N. Y., deaths in, from certain causes, by age, 137, 295, 453, 611, 769. *See also* Registration cities.
- Rabies, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVIII.
- Race, deaths, shown by, xx, 58, 216, 374, 532, 540.
- Railroad accidents, deaths from. *See* Violence.
- Raleigh, N. C., death rates, by race, xx. *See also* Registration cities.
- Rate tables. *See* Tables.
- Recurrent fever, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVI.
- Registration area, extent and composition of, XIV; number of states and cities constituting, XIV, XVI; population, XVIII, LXI; death rates, compared with certain European countries, XVIII; all causes, XIX; typhoid fever, XXI; malarial fever, XXIII; smallpox, XXV; measles, XXVI; scarlet fever, XXVIII; whooping cough, XXIX; diphtheria and croup, XXX; influenza, XXXII; dysentery, XXXIII; tuberculosis of lungs, XXXV; cancer, XXXVIII; death rates for each disease and class of diseases, LXVIII, LXXII, CLVI; by months, CXCIV; by age, CCII; deaths from each disease and class of diseases, LXVIII, CLVI, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by months, CXCIV, 154, 312, 470, 628, 786; by age, CC; deaths, according to color, nativity, and month, 4, 162, 320, 478, 636; age, 22, 180, 338, 496, 654; by sex, age, color, and nativity, 58, 216, 374, 532, 690.
- Registration cities, number, XVI; death rates in southern cities, by race, xx; in cities of 100,000 population and over, from typhoid fever, XXI; malarial fever, XXIII; smallpox, XXV; measles, XXVI; scarlet fever, XXVIII; whooping cough, XXIX; diphtheria and croup, XXX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII; diabetes, XLI; meningitis, XLIII; pneumonia, XLVIII; diarrhea and enteritis, L; Bright's disease and nephritis, LIV; death rates, average annual and yearly, LXV; from certain principal diseases and classes of diseases, LXXIV; population, LXI; deaths, by color and nativity, 4, 162, 320, 478, 636; by age, 22, 180, 338, 496, 654; by sex, age, color, and nativity, 58, 60, 216, 218, 374, 376, 532, 534, 690, 692; from specified diseases, 40, 198, 356, 514, 672; by month and age, 156, 314, 472, 630, 788.
- Registration law, outline, as proposed, XI.
- Registration of deaths, movement for uniform laws, forms, and statistics, IX; circulars explaining, XI, XII, XIII.
- Registration states, rural parts of, deaths in, by color, nativity, and month, 12, 170, 328, 486, 644; by age, 30, 188, 346, 504, 662; by diseases, 48, 206, 364, 522, 680. *See also* Rural districts.
- Registration states, specified, XIV; death rates, all causes, XIX; typhoid fever, XXI; malarial fever, XXIII; smallpox, XXV; measles, XXVI; scarlet fever, XXVIII; whooping cough, XXIX; diphtheria and croup, XXX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII; diabetes, XLI; meningitis, XLIII; pneumonia, XLVIII; diarrhea and enteritis, L; Bright's disease and nephritis, LIV; from certain principal diseases and classes of diseases, LXXII; from each disease and class of diseases, by cities and rural districts, CLXVI; population, LXI; deaths, by color, nativity, and month, 4, 162, 320, 478, 636; by age, 22, 180, 338, 496, 654; by diseases, 40, 198, 356, 514, 672; by sex, age, color, and nativity, 60, 218, 376, 534, 692; from each disease and class of diseases, by cities and rural districts, 76, 234, 392, 550, 708; in specified states, by certain causes and age, 90, 248, 406, 564, 722.
- Relation of Physicians to Mortality Statistics, circular for physicians, XII.
- Resolutions, relative to the registration movement, by the Boards of Health Conference, x; by the American Public Health Association, x; by Congress, XI.
- Respiratory system, diseases of, deaths from, by registration areas, XLVI, LXIX, CLX, 41, 199, 357, 515, 673; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, XLVI, 84, 242, 400, 558, 716; by months, LXVII, CXCIV, 155, 313, 471, 629, 787; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, XLVI, LXIX, LXXII, CLX; by states, LXXII; by specified cities, LXXV; by cities and rural districts, CLXXVI; by months, CXCIV; by age, CCII.
- Rheumatism, deaths from, acute articular, XI; chronic, XL; by registration areas, XL, LXVIII, CLVIII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XL, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, average annual, XI; by registration areas, XL, LXVIII, CLVIII; by cities and rural districts, CLXXII; by age, CCII.
- Rhode Island, death rates for cities and rural districts, XIX; deaths, by age, 22, 108, 180, 266, 338, 424, 496, 582, 654, 740; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 72, 230, 388, 546, 704. *See also* Registration states.
- Rhode Island rural, death rates, by diseases, CLII; deaths, by color, nativity, and month, 20, 178, 336, 494, 652; by age, 38, 196, 354, 512, 670; by diseases, 56, 214, 372, 530, 688. *See also* Rural districts.
- Richmond borough, N. Y., deaths in, from certain causes, by age, 138, 296, 454, 612, 770. *See also* Registration cities.
- Richmond, Va., death rates, by race, xx. *See also* Registration cities.
- Rochester, N. Y., deaths in, from certain causes, by age, 145, 303, 461, 619, 777. *See also* Registration cities.
- Rural districts of registration states, death rates, by specified causes of death, CLXVI; deaths, by age, 22, 30, 180, 188, 338, 346, 496, 504, 654, 662; by diseases, 40, 48, 198, 206, 356, 364, 514, 522, 672, 680; by month and age, 158, 316, 474, 632, 790.
- St. Joseph, Mo., deaths in, from certain causes, by age, 146, 304, 462, 620, 778. *See also* Registration cities.
- St. Louis, Mo., deaths in, from certain causes, by age, 147, 305, 463, 621, 779. *See also* Registration cities.
- St. Paul, Minn., deaths in, from certain causes, by age, 148, 306, 464, 622, 780. *See also* Registration cities.
- San Antonio, Tex., death rates, by race, xx. *See also* Registration cities.
- San Francisco, Cal., deaths in, from certain causes, by age, 149, 307, 465, 623, 781. *See also* Registration cities.
- Savannah, Ga., death rates, by race, xx. *See also* Registration cities.
- Scalds. *See* Burns and scalds.
- Scarlet fever, death rates, fluctuating, XXI; in United States, compared with certain European countries, XXVII; average annual, XXVII; by registration areas, XXVIII, LXVIII, LXXII, CLVI; by cities, XXVIII, LXXIV; by states, XXVIII, LXXII; by cities and rural districts, CLXVI; by months, XXVIII, CXCIV; by age, CCII; deaths from, by sex and age, XXVIII, 82, 240, 398, 556, 714; by months, XXVIII, CXCIV; by registration areas, XXVIII, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.
- Scotland, death rates, all causes, XVIII; typhoid fever, XXI; smallpox, XXV; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; influenza, XXXII; tuberculosis of lungs, XXXV; cancer, XXXVIII.
- Scranton, Pa., deaths in, from certain causes, by age, 150, 308, 466, 624, 782. *See also* Registration cities.
- Scrofula, death rates, by registration areas, LXVIII, CLVII; by cities and rural districts, CLXX; by age, CCII; deaths from, by registration areas, LXVIII, CLVII; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
- Scurvy, death rates, LXVIII, CLXXII; deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708.
- Septicemia, death rates, by registration areas, LXVIII, CLVI; by cities and rural districts, CLXVIII; by age, CCII; deaths from, by registration areas, LXVIII, CLVI; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by cities, 112, 270, 428, 586, 744.
- Sex, deaths shown by, 58, 82, 216, 240, 374, 398, 532, 556, 690, 714.
- Skin diseases, death rates, by registration areas, LXX, CLXIII; by cities and rural districts, CLXXXIV; by age, CCII; deaths from, by registration areas, LXX, CLXIII; by cities and rural districts, 80, 236, 396, 554, 712; by sex and age, 86, 244, 402, 560, 718; according to age, by registration areas, CCI; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.
- Smallpox, death rates, fluctuation due to epidemics, XXV; average annual, XXV; in United States compared with European countries, XXV; cities showing highest, XXV; by registration areas, XXV, LXVIII, LXXII, CLVI; by cities, XXV, LXXIV; by states, XXV, LXXII; by cities and rural districts, CLXVI; by age, CCI; deaths from, by sex and age, XXVI, 82, 240, 398, 556, 714; by registration areas, XXV, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.
- Softening of brain, death rates, by registration areas, LXVIII, CLVIII; by cities and rural dis-

ts, CLXXIV; by age, CCH; deaths from, registration areas, LXVIII, CLVIII; by cities and rural districts, 76, 234, 392, 550, 708; sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.

ern registration cities, death rates in, by age, XX.

, death rates, all causes, XVIII; smallpox, V; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and up, XXX; tuberculosis of lungs, XXXV; cancer, XXXVIII.

l cord, diseases of, deaths from, according to age, by registration areas, CC; by states, 248, 406, 564, 722; distributed by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 240, 400, 558, 716; death rates, CLXXIV, CCH.

n, diseases of, death rates, by registration areas, LXIX, CLXII; by cities and rural districts, CLXXXII; by age, CCH; deaths from, registration areas, LXIX, CLXII; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCH; by states, 91, 249, 407, 565, 723; by sex, 86, 242, 402, 560, 718.

ation, privation, etc., death rates, CXCII; number of deaths from, 80, 238, 396, 554, 712. *See also* Violence.

nach, diseases of, death rates, by registration areas, LXIX, CLXII; by cities and rural districts, CLXXX; by age, CCH; deaths from, by registration areas, LXIX, CLXII; by sex and age, 86, 242, 402, 560, 718; according to age, registration areas, CCH; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744.

ngulation. *See* Suicide.

len death. *See* Ill-defined causes.

ocation, death rates, CXC, CCH; deaths from, according to age, by registration areas, CCH; by states, 91, 249, 407, 565, 723; by sex and age, 88, 246, 404, 562, 720.

ide, death rates, by registration areas, LXX, CLXIV; by states, LXXIII; by cities, LXV; by cities and rural districts, CLXXXVIII; by months, CXCIV; by age, CCH; deaths from, by registration areas, LXX, CLXIV, 41, 99, 357, 515, 673; by cities and rural districts, 1, 238, 396, 554, 712; by months, CXCIX; by sex and age, 88, 246, 404, 562, 720; according to age, by registration areas, CCH; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 59, 787.

mary tables. *See* Tables.

stroke. *See* Heat and sunstroke.

den, death rates, all causes, XVIII; typhoid fever, XXI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX.

tzerland, death rates, all causes, XVIII; typhoid fever, XXI; measles, XXVI; scarlet fever, XXVII; whooping cough, XXIX; diphtheria and croup, XXX; tuberculosis of lungs, XXV; cancer, XXXVIII.

hilis, death rates, CLXX; deaths from, 76, 34, 392, 550, 708. *See also* Venereal diseases.

acuse, N. Y., deaths in, from certain causes, by age, 151, 309, 467, 625, 783. *See also* Registration cities.

les, general, outline of, XVII.

anus, death rates, by registration areas, XVIII, CLIX; by cities and rural districts, LXXIV; by age, CCH; deaths from, by registration areas, LXVIII, CLIX; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 70, 428, 586, 744.

Thrombosis. *See* Embolism and thrombosis.

Thyroid body, diseases of, death rates, by registration areas, LXIX, CLX; by cities and rural districts, CLXXXVIII; by age, CCH; deaths from, by registration areas, LXIX, CLX; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by sex, 84, 242, 400, 558, 716.

Toledo, Ohio, deaths in, from certain causes, by age, 152, 310, 468, 626, 784. *See also* Registration cities.

Tonsillitis, death rates, CLXXXVIII, CCH; deaths from, by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 86, 242, 402, 560, 718; according to age, by registration areas, CCH; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744. *See also* Pharynx.

Trichinosis. *See* Actinomycosis, trichinosis, etc.

Tuberculosis (all forms), deaths from, by registration areas, XXXIV, LXVIII, LXXII, CLVII; by states, LXXII; by cities, LXXIV; by cities and rural districts, 76, 234, 392, 550, 708; by months, CXCIV; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786; death rates, by registration areas, LXVIII, LXXII, CLVII; by states, LXXII; by cities, LXXIV; by cities and rural districts, CLXVIII; by months, CXCIV; by age, CCH.

Tuberculosis of lungs, deaths from, by registration areas, XXXV, 40, 198, 356, 514, 672; by sex and age, XXXVI; by months, XXXVII, CXCIV; death rates, in United States compared with certain European countries, XXXV; mortality from, higher in cities than in rural districts, XXXV; states showing highest death rates, XXXV; cities showing excessive, XXXVI. *See also* Tuberculosis.

Tubes, diseases of, death rates, CLXXXIV. *See also* Genito-urinary system.

Tumor, death rates, by registration areas, LXVIII, LXXIII, CLVIII; by states, LXXIII; by cities, LXXV; by cities and rural districts, CLXXXII; by age, CCH; deaths from, by registration areas, LXVIII, CLVIII, 41, 199, 357, 515, 673; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744.

Typhoid fever, death rates, fluctuating, XXI; average annual, XXI; in United States compared with certain European countries, XXI; by registration areas, XXI, LXVIII, LXXII, CLVI; by cities, XXI, LXXIV; by states, LXXII; by cities and rural districts, CLXVI; by months, XXIII, CXCIV; by age, CCH; deaths from, by months, XXIII, CXCIV; by registration areas, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.

Ulcer of stomach, deaths from, by registration areas, LXIX, CLXI; by cities and rural districts, 78, 236, 394, 552, 710; according to age, by registration areas, CCH; by states, 91, 249, 407, 565, 723; by sex, 86, 242, 402, 560, 718; death rates, LXIX, CLXI, CCH.

Urethra, diseases of, deaths from, by registration areas, LXIX; by cities and rural districts, 78, 236, 394, 552, 710; death rates, LXIX, CLXXXII.

Uterus, diseases of, deaths from, by registration areas, LXIX, CLXII; by cities and rural districts, 78, 236, 394, 552, 710; by sex and

age, 86, 244, 402, 560, 718; according to age, by registration areas, CCH; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; death rates, by registration areas, LXIX, CLXII; by cities and rural districts, CLXXXII; by age, CCH.

Veins, diseases of, deaths from, by registration areas, LXIX, CLIX; by cities and rural districts, 78, 236, 394, 552, 710; by sex and age, 84, 242, 400, 558, 716; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; death rates, LXIX, CLIX, CCH, CLXXXVI.

Venereal diseases, deaths from, by registration areas, XXXVII, LXVIII, CLVII; by sex and age, XXXVII, 82, 240, 398, 556, 714; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; death rates, average annual, XXXVII; by registration areas, XXXVII, LXVIII, CLVII; by age, CCH.

Vermont, death rates for cities and rural districts, XIX; deaths, by age, 22, 110, 180, 268, 338, 426, 496, 584, 654, 742; by diseases, 40, 76, 198, 234, 356, 392, 514, 550, 672, 708; by sex, color, and nativity, 74, 232, 390, 548, 706. *See also* Registration states.

Vermont rural, death rates, by diseases, CLIV; deaths, by color, nativity, and month, 20, 178, 336, 494, 652; by age, 38, 196, 354, 512, 670; by diseases, 56, 214, 372, 530, 688. *See also* Rural districts.

Violence, statistical treatment of data, separation into primary groups not permissible, LV; death rates, average annual, LV; by registration areas, LXX, LXXIII, CLXIX, CCH; by states, LXXIII; by cities, LXXV; by cities and rural districts, CLXXXVIII; by months, CXCIX; deaths from, by registration areas, LVII, LXX, CLXIV; by cities and rural districts, 80, 238, 396, 554, 712; by sex and age, LVII, 88, 246, 404, 562, 720; by months, CXCIV; according to age, by registration areas, CCH; by states, 91, 249, 407, 565, 723; by specified cities, 112, 270, 428, 586, 744; by months, 155, 313, 471, 629, 787.

Wales. *See* England and Wales.

Washington, D. C., death rates, by race, XX. *See also* Registration cities.

White population, deaths among, by nativity and parent nativity, 4, 162, 320, 478, 636; at each age, by sex and nativity, 58, 216, 374, 532, 540.

White swelling, death rates, CLXX, CCH; deaths from, according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; distributed by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, 82, 240, 398, 556, 714.

Whooping cough, death rates, fluctuating, XXI; average annual, XXVIII; by registration areas, XXVIII, XXIX, LXVIII, LXXII, CLVI; by cities, XXIX, LXXIV; by states, LXXII; by cities and rural districts, CLXVI; in registration area compared with certain European countries, XXIX; by months, XXX, CXCIV; by age, CCH; deaths from, by registration areas, XXIX, LXVIII, CLVI, 40, 198, 356, 514, 672; by cities and rural districts, 76, 234, 392, 550, 708; by sex and age, XXIX, 82, 240, 398, 556, 714; by months, XXX, CXCIV; according to age, by registration areas, CC; by states, 90, 248, 406, 564, 722; by specified cities, 112, 270, 428, 586, 744; by months, 154, 312, 470, 628, 786.

Wilmington, N. C., death rates, by race, XX. *See also* Registration cities.

Worcester, Mass., deaths in, from certain causes, by age, 153, 311, 469, 627, 785. *See also* Registration cities.

Yellow fever, deaths from, by registration areas, LXVIII; by cities and rural districts, 76, 234, 392, 550, 708; death rates, LXVIII, CLXVIII.